

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits  | Search Query                              | DBs                | Default Operator | Plurals | Time Stamp          |
|-------|-------|---|--------------------|------------------|---------|---------------------|
| S1    | 215   | (printer near3 manag\$5).ab.              | US-PGPUB;<br>USPAT | OR               | ON      | 2007/11/14<br>09:37 |
| S2    | 137   | S1 and (@ad @prad)<"20021125"             | US-PGPUB;<br>USPAT | OR               | ON      | 2007/11/14<br>09:29 |
| S3    | 22711 | 709/220,221,222,223,224,227,228,229.ccls. | US-PGPUB;<br>USPAT | OR               | ON      | 2007/11/13<br>10:57 |
| S4    | 21    | S2 and S3                                 | US-PGPUB;<br>USPAT | OR               | ON      | 2007/11/13<br>10:57 |
| S5    | 125   | S1 and (@ad)<"20021125"                   | US-PGPUB;<br>USPAT | OR               | ON      | 2007/11/13<br>11:12 |
| S6    | 16    | S4 and (@ad)<"20021125"                   | US-PGPUB;<br>USPAT | OR               | ON      | 2007/11/13<br>11:46 |
| S7    | 153   | printer monitor\$3 (period time)          | US-PGPUB;<br>USPAT | WITH             | ON      | 2007/11/13<br>11:46 |
| S8    | 107   | S7 and (@ad)<"20021125"                   | US-PGPUB;<br>USPAT | OR               | ON      | 2007/11/13<br>13:11 |

|     |       |   |                    |    |    |                     |
|-----|-------|---|--------------------|----|----|---------------------|
| S9  | 18    | S8 and "709".clas.  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:10 |
| S10 | 1487  | printer near5 (setting config configuration reference)<br>with (period time duration)   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:37 |
| S11 | 860   | S10 and (@ad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:26 |
| S12 | 28104 | printer near5 (monitor\$3 manag\$5)   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:11 |
| S13 | 274   | S11 and S12   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:11 |
| S14 | 34    | S13 and "709".clas.   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:26 |
| S15 | 159   | printer near5 (setting config configuration reference)<br>with (period time duration) with (modification modify\$3<br>chang\$3) | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>14:30 |
| S16 | 84    | S15 and (@ad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:38 |
| S17 | 9     | S16 and "709".clas.   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:26 |
| S18 | 23    | printer near5 (setting config configuration reference)<br>with (time\$out time near out)  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>13:38 |
| S19 | 11    | S18 and (@ad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>14:31 |

|     |    |   |                    |    |     |                     |
|-----|----|---|--------------------|----|-----|---------------------|
| S20 | 0  | (wo01/73558.ptpn.).CCLS.  | US-PGPUB;<br>USPAT | OR | OFF | 2007/11/13<br>13:46 |
| S21 | 1  | wo01/73558.ptpn.  | US-PGPUB;<br>USPAT | OR | ON  | 2007/11/13<br>13:49 |
| S22 | 1  | ("20020161740").PN.   | US-PGPUB;<br>USPAT | OR | OFF | 2007/11/13<br>13:49 |
| S23 | 1  | ("20020161740").PN.   | US-PGPUB;<br>USPAT | OR | OFF | 2007/11/13<br>14:17 |
| S24 | 1  | S15 and S23   | US-PGPUB;<br>USPAT | OR | ON  | 2007/11/13<br>14:30 |
| S25 | 24 | printer near5 (setting config configuration reference)<br>with (period time duration) same (prevent\$3 lock\$3)<br>same (modification modify\$3 chang\$3) | US-PGPUB;<br>USPAT | OR | ON  | 2007/11/13<br>15:24 |
| S26 | 15 | S25 and (@ad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON  | 2007/11/13<br>15:22 |
| S27 | 1  | ("5,194,895").PN.   | US-PGPUB;<br>USPAT | OR | OFF | 2007/11/13<br>15:19 |
| S28 | 27 | printer near5 (setting config configuration) same<br>(period time duration) same (prevent\$3 lock\$3) same<br>(modification modify\$3 chang\$3)           | US-PGPUB;<br>USPAT | OR | ON  | 2007/11/13<br>15:22 |
| S29 | 15 | S28 and (@ad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON  | 2007/11/13<br>15:25 |
| S30 | 4  | S29 not S25   | US-PGPUB;<br>USPAT | OR | ON  | 2007/11/13<br>15:22 |

|     |      |   |                 |      |    |                  |
|-----|------|---|-----------------|------|----|------------------|
| S31 | 2946 | printer near5 (setting config configuration reference) same (modification modify\$3 chang\$3) | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:25 |
| S32 | 1703 | printer near5 (setting config configuration reference) with (modification modify\$3 chang\$3) | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:31 |
| S33 | 897  | S32 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:48 |
| S34 | 75   | (time\$out time adj out) and S33  | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:48 |
| S35 | 85   | printer (time user policy)  | US-PGPUB; USPAT | SAME | ON | 2007/11/13 15:48 |
| S36 | 46   | S35 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:51 |
| S37 | 89   | printer same user with (monitor\$3 near3 (period time))                                       | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:53 |
| S38 | 47   | S37 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:51 |
| S39 | 3148 | printer near5 (configuration setting) same (period time)                                      | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:54 |
| S40 | 1145 | printer near5 (configuration setting) with (period time)                                      | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:55 |
| S41 | 16   | printer near5 (configuration setting) with (time\$out time adj out)                           | US-PGPUB; USPAT | OR   | ON | 2007/11/13 15:56 |

|     |        |  |                        |    |    |                     |
|-----|--------|--|------------------------|----|----|---------------------|
| S42 | 6      | S41 and (@ad @prad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:01 |
| S43 | 112377 | (setting configuration) near3 (time duration)  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:00 |
| S44 | 733    | printer with (setting configuration) near3 (time duration)   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:01 |
| S45 | 502    | S44 and (@ad @prad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:02 |
| S46 | 1      | printer with (setting configuration) near3 (time duration) near4 protect\$3  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:02 |
| S47 | 9      | printer with (setting configuration) near3 (time duration) same protect\$3   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:06 |
| S48 | 5      | S47 and (@ad @prad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:06 |
| S49 | 12     | printer same (setting configuration) near3 (time duration period) same protect\$3  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:06 |
| S50 | 7      | S49 and (@ad @prad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:18 |
| S51 | 2      | S50 not S48  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:07 |
| S52 | 22     | request near3 (chang\$3 modify\$3 modification) with (reject\$3 deny\$3 declin\$3) same (period time duration) same (setting config configuration) | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:38 |

|     |        |   |                        |    |    |                     |
|-----|--------|---|------------------------|----|----|---------------------|
| S53 | 11     | S52 and (@ad @prad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:33 |
| S54 | 888    | (setting config configuration) near5 effective near5<br>(period duration time)  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:32 |
| S55 | 309331 | printer (setting config configuration) near5 effective<br>near5 (period duration time)                                  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:33 |
| S56 | 8      | printer same (setting config configuration) near5<br>effective near5 (period duration time)                             | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:33 |
| S57 | 5      | S56 and (@ad @prad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:38 |
| S58 | 873    | request near6 (chang\$3 modify\$3 modification) with<br>(reject\$3 deny\$3 declin\$3)                                   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:38 |
| S59 | 3      | S54 and S58   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:38 |
| S60 | 0      | S59 and (@ad @prad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/13<br>16:38 |
| S61 | 51     | (user client personal) near5 (config setting<br>configuration) with (modify\$3 modification) near5<br>(prevent\$3 lock) | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:30 |
| S62 | 10     | S61 and ("709" "710").clas.   | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:29 |
| S63 | 5      | S62 and (@ad @prad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:35 |

|     |        |   |                    |    |    |                     |
|-----|--------|---|--------------------|----|----|---------------------|
| S64 | 3965   | (device user client personal) with (config setting configuration) with (modify\$3 modification chang\$3) with (prevent lock block stop avoid limit) | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:36 |
| S65 | 983    | S64 and "70"\$.clas.  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:34 |
| S66 | 547    | S65 and (@ad @prad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:35 |
| S67 | 514    | S65 and (@ad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>13:10 |
| S68 | 316097 | (config setting configuration) with (time duration period)  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:36 |
| S69 | 288    | S67 and S68   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:37 |
| S70 | 6867   | (printer near6 manag\$5)  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:37 |
| S71 | 0      | S69 and S70   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:37 |
| S72 | 83     | S69 and printer   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:41 |
| S73 | 9714   | printer same (policy config setting configuration) same (time duration period)  | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:42 |
| S74 | 3164   | (user personal) same printer same (policy config setting configuration) same (time duration period)   | US-PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>09:42 |

|     |      |  |                        |      |     |                     |
|-----|------|--|------------------------|------|-----|---------------------|
| S75 | 1583 | S74 and (@ad)<"20021125"                       | US-<br>PGPUB;<br>USPAT | OR   | ON  | 2007/11/14<br>10:00 |
| S76 | 191  | S75 and "709".clas.                            | US-<br>PGPUB;<br>USPAT | OR   | ON  | 2007/11/14<br>10:00 |
| S77 | 46   | printer.ab. and S76                            | US-<br>PGPUB;<br>USPAT | OR   | ON  | 2007/11/14<br>10:20 |
| S78 | 1    | ("20030084086").PN.                            | US-<br>PGPUB;<br>USPAT | OR   | OFF | 2007/11/14<br>11:59 |
| S79 | 9    | banner with print near5 option                 | US-<br>PGPUB;<br>USPAT | OR   | ON  | 2007/11/14<br>13:10 |
| S80 | 8    | S79 and (@ad)<"20021125"                       | US-<br>PGPUB;<br>USPAT | OR   | ON  | 2007/11/14<br>15:56 |
| S81 | 174  | default same tray same sheet                   | US-<br>PGPUB;<br>USPAT | OR   | ON  | 2007/11/14<br>13:11 |
| S82 | 1    | S80 and S81                                    | US-<br>PGPUB;<br>USPAT | OR   | ON  | 2007/11/14<br>15:55 |
| S83 | 78   | customized status message                      | US-<br>PGPUB;<br>USPAT | WITH | ON  | 2007/11/14<br>16:05 |
| S84 | 38   | S83 and (@ad)<"20021125"                       | US-<br>PGPUB;<br>USPAT | OR   | ON  | 2007/11/14<br>16:06 |
| S85 | 503  | (customized message) and instant adj messag\$3 | US-<br>PGPUB;<br>USPAT | WITH | ON  | 2007/11/14<br>16:05 |



|     |     |  |                        |      |    |                     |
|-----|-----|--|------------------------|------|----|---------------------|
| S86 | 281 | (customized near4 message) and instant adj messag\$3 | US-<br>PGPUB;<br>USPAT | WITH | ON | 2007/11/14<br>16:09 |
| S87 | 89  | S86 and (@ad)<"20021125"                             | US-<br>PGPUB;<br>USPAT | OR   | ON | 2007/11/14<br>16:09 |
| S88 | 1   | busy same (customiz\$3) and S87                      | US-<br>PGPUB;<br>USPAT | OR   | ON | 2007/11/14<br>16:08 |
| S89 | 116 | (customized near4 text near3 message)                | US-<br>PGPUB;<br>USPAT | WITH | ON | 2007/11/14<br>16:13 |
| S90 | 46  | S89 and (@ad)<"20021125"                             | US-<br>PGPUB;<br>USPAT | OR   | ON | 2007/11/14<br>16:13 |
| S91 | 24  | S90 and monitor\$3                                   | US-<br>PGPUB;<br>USPAT | OR   | ON | 2007/11/14<br>16:09 |
| S92 | 5   | (customized near4 text near3 message with reply\$3)  | US-<br>PGPUB;<br>USPAT | WITH | ON | 2007/11/14<br>16:14 |
| S93 | 1   | S92 and (@ad)<"20021125"                             | US-<br>PGPUB;<br>USPAT | OR   | ON | 2007/11/14<br>16:14 |
| S94 | 3   | (customized near5 (text message) with default)       | US-<br>PGPUB;<br>USPAT | WITH | ON | 2007/11/14<br>16:15 |
| S95 | 2   | S94 and (@ad)<"20021125"                             | US-<br>PGPUB;<br>USPAT | OR   | ON | 2007/11/14<br>16:15 |
| S96 | 71  | (customized near5 (text message) with default)       | US-<br>PGPUB;<br>USPAT | OR   | ON | 2007/11/14<br>16:15 |

|      |      |   |                        |    |    |                     |
|------|------|---|------------------------|----|----|---------------------|
| S97  | 35   | S96 and (@ad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2007/11/14<br>16:15 |
| S98  | 16   | device near6 (configu\$6 setting attribute) near7 (block \$3 protect\$3) near6 modif\$7 near6 (duration time period interval) | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>10:07 |
| S99  | 4    | S98 and (@ad @prad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>10:07 |
| S100 | 798  | device near6 (configu\$6 setting attribute) near7 (block \$3 protect\$3) with (duration time period interval)                 | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>10:08 |
| S101 | 413  | S100 and (@ad @prad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>10:08 |
| S102 | 51   | printer and S101  | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>10:08 |
| S103 | 340  | S100 and (@ad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>10:08 |
| S104 | 44   | printer and S103  | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>10:08 |
| S105 | 4756 | printer same (setting config\$8) near5 (lock\$3 block\$3 protect\$3)  | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>13:20 |
| S106 | 2091 | S105 and (@ad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>13:20 |
| S107 | 274  | printer same (setting config\$8) near5 (lock\$3 block\$3 protect\$3) same (time duration period)                              | US-<br>PGPUB;<br>USPAT | OR | ON | 2008/07/28<br>13:21 |

|      |      |  |                 |    |    |                  |
|------|------|--|-----------------|----|----|------------------|
| S108 | 301  | printer same (setting config\$8 option preference) near5 (lock\$3 block\$3 protect\$3) same (time duration period) | US-PGPUB; USPAT | OR | ON | 2008/07/28 13:22 |
| S109 | 178  | S108 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR | ON | 2008/07/28 13:22 |
| S110 | 413  | printer same (setting config\$8) near5 (lock\$3 protect\$3)  | US-PGPUB; USPAT | OR | ON | 2008/07/28 13:23 |
| S111 | 62   | printer same (setting config\$8 option preference) near5 (lock\$3 protect\$3) same (time duration period)          | US-PGPUB; USPAT | OR | ON | 2008/07/28 13:23 |
| S112 | 854  | (setting configur\$5) near4 request and (print\$3 near6 process\$3) near5 request                                  | US-PGPUB; USPAT | OR | ON | 2008/07/28 14:52 |
| S113 | 337  | S112 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR | ON | 2008/07/28 14:52 |
| S114 | 4946 | S110 abd S113  | US-PGPUB; USPAT | OR | ON | 2008/07/28 14:53 |
| S115 | 413  | printer same (setting config\$8) near5 (lock\$3 protect\$3)  | US-PGPUB; USPAT | OR | ON | 2008/07/28 14:54 |
| S116 | 854  | (setting configur\$5) near4 request and (print\$3 near6 process\$3) near5 request                                  | US-PGPUB; USPAT | OR | ON | 2008/07/28 14:54 |
| S117 | 337  | S116 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR | ON | 2008/07/28 14:54 |
| S118 | 3    | S115 and S117  | US-PGPUB; USPAT | OR | ON | 2008/07/28 14:54 |

|      |       |  |                 |    |     |                  |
|------|-------|--|-----------------|----|-----|------------------|
| S119 | 163   | printer same (setting configurat\$3 option control\$4) near7 (block\$3 lock\$3 protect\$3) with (modify\$3 chang\$3)                           | US-PGPUB; USPAT | OR | ON  | 2008/07/28 15:35 |
| S120 | 101   | S119 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR | ON  | 2008/07/28 15:35 |
| S121 | 144   | printer same (setting configurat\$3 option control\$4) near7 (prevent\$3 lock\$3 protect\$3) with (modify\$3 chang\$3)                         | US-PGPUB; USPAT | OR | ON  | 2008/07/28 15:37 |
| S122 | 78    | S121 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR | ON  | 2008/07/28 15:37 |
| S123 | 31    | printer same (setting configurat\$3 option control\$4) near7 (prevent\$3 lock\$3 protect\$3) with (modify\$3 chang\$3) same (time period date) | US-PGPUB; USPAT | OR | ON  | 2008/07/28 15:38 |
| S124 | 15    | S123 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR | ON  | 2008/07/28 15:38 |
| S125 | 0     | ("200300300664").PN.   | US-PGPUB; USPAT | OR | OFF | 2008/07/29 11:27 |
| S126 | 1     | ("200300300664").PN.   | US-PGPUB; USPAT | OR | OFF | 2008/07/29 11:27 |
| S127 | 48559 | (device printer) near9 (setting config configuration reference) with (period time duration how near3 long how near3 many cop\$3)               | US-PGPUB; USPAT | OR | ON  | 2008/07/29 11:36 |
| S128 | 580   | S127 and 709/223-224.ccls.   | US-PGPUB; USPAT | OR | ON  | 2008/07/29 11:36 |
| S129 | 287   | S128 and (@ad)<"20021125"  | US-PGPUB; USPAT | OR | ON  | 2008/07/29 11:36 |

|      |      |   |                    |    |    |                     |
|------|------|---|--------------------|----|----|---------------------|
| S130 | 109  | printer and S129  | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>11:37 |
| S131 | 3553 | (printer) near9 (setting config configuration reference) with (period time duration how near3 long how near3 many cop\$3)                           | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:18 |
| S132 | 1909 | S131 and (@ad)<"20021125"   | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:19 |
| S133 | 32   | S132 and 709/223-224.ccls.  | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:19 |
| S134 | 5618 | (reject\$3 denied deny\$3 prevent\$3 lock\$3) with (modify \$3 chang\$3) with (setting configur\$5 preference control) with (period time )          | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:52 |
| S135 | 5720 | (reject\$3 denied deny\$3 prevent\$3 lock\$3) with (modify \$3 chang\$3) with (setting configur\$5 preference control) with (period time duration)  | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:52 |
| S136 | 3711 | S135 and (@ad)<"20021125"   | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:52 |
| S137 | 290  | printer and S136  | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:53 |
| S138 | 2428 | (reject\$3 denied deny\$3 prevent\$3 lock\$3) with (modify \$3 chang\$3) near5 (setting configur\$5 preference control) with (period time duration) | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:53 |
| S139 | 1551 | S138 and (@ad)<"20021125"   | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:53 |
| S140 | 123  | printer and S139  | US-PGPUB;<br>USPAT | OR | ON | 2008/07/29<br>14:53 |

|      |    |  |                    |    |     |                     |
|------|----|--|--------------------|----|-----|---------------------|
| S141 | 17 | S140 and "709".clas.   | US-PGPUB;<br>USPAT | OR | ON  | 2008/07/29<br>14:54 |
| S142 | 17 | S141 and (@ad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON  | 2008/07/29<br>14:59 |
| S143 | 1  | ("5553245").PN.  | US-PGPUB;<br>USPAT | OR | OFF | 2008/07/29<br>15:16 |
| S144 | 1  | ("5355441").PN.  | US-PGPUB;<br>USPAT | OR | OFF | 2008/07/29<br>15:19 |
| S145 | 2  | ((("6473406") or ("20030043844"))).PN.   | US-PGPUB;<br>USPAT | OR | OFF | 2008/07/31<br>13:36 |
| S146 | 2  | S145 and (delet\$3 discard\$3 remov\$3)  | US-PGPUB;<br>USPAT | OR | ON  | 2008/07/31<br>13:38 |
| S147 | 3  | mib same lock\$3 near6 (setting preference) and printer  | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/02<br>15:55 |
| S148 | 1  | S147 and (@ad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/02<br>15:55 |
| S149 | 1  | ("20040107279").PN.  | US-PGPUB;<br>USPAT | OR | OFF | 2009/02/03<br>11:41 |
| S150 | 15 | printer near5 (setting config configuration reference)<br>with (period time duration) same (lock\$3) | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/03<br>13:00 |
| S151 | 12 | S150 and (@ad @prad)<"20021125"  | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/03<br>13:01 |

|      |     |  |                        |    |    |                     |
|------|-----|--|------------------------|----|----|---------------------|
| S152 | 10  | S150 and (@ad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/03<br>13:01 |
| S153 | 130 | device near5 (setting config configuration reference)<br>with lock\$3 near5 (period time duration)               | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:48 |
| S154 | 60  | S153 and (@ad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:48 |
| S155 | 1   | device near5 (setting config configuration reference)<br>with lock\$3 near5 (period time duration) same expir\$5 | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:49 |
| S156 | 1   | S155 and (@ad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:49 |
| S157 | 0   | S153 and (@ad)<"20021125" and snmp   | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:50 |
| S158 | 60  | S154 and (@ad)<"20021125"  | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:50 |
| S159 | 0   | S154 and snmp  | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:50 |
| S160 | 0   | S154 and mib   | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:50 |
| S161 | 5   | S158 and printer   | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:51 |
| S162 | 0   | S158 and snmp  | US-<br>PGPUB;<br>USPAT | OR | ON | 2009/02/04<br>06:53 |

|      |     |   |                        |    |     |                     |
|------|-----|---|------------------------|----|-----|---------------------|
| S163 | 0   | S158 and mib  | US-<br>PGPUB;<br>USPAT | OR | ON  | 2009/02/04<br>06:53 |
| S164 | 2   | ((("20020089693") or ("6369906")).PN.                                     | US-<br>PGPUB;<br>USPAT | OR | OFF | 2009/02/20<br>13:50 |
| S165 | 854 | printer same (setting configuration) with (period timer)                  | US-<br>PGPUB;<br>USPAT | OR | ON  | 2009/09/21<br>15:11 |
| S166 | 437 | S165 and (@ad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON  | 2009/09/21<br>15:12 |
| S167 | 504 | printer with (setting configuration) with (period timer)                  | US-<br>PGPUB;<br>USPAT | OR | ON  | 2009/09/21<br>15:12 |
| S168 | 241 | S167 and (@ad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON  | 2009/09/21<br>15:12 |
| S169 | 17  | conflict\$3 and S168  | US-<br>PGPUB;<br>USPAT | OR | ON  | 2009/09/21<br>15:13 |
| S170 | 23  | printer with (setting configuration) with (period tim\$3)<br>same lock\$3 | US-<br>PGPUB;<br>USPAT | OR | ON  | 2009/09/21<br>15:19 |
| S171 | 11  | S170 and (@ad)<"20021125"   | US-<br>PGPUB;<br>USPAT | OR | ON  | 2009/09/21<br>15:19 |
| S172 | 1   | ("5194895").PN.   | US-<br>PGPUB;<br>USPAT | OR | OFF | 2009/09/22<br>09:16 |

9/ 22/ 2009 4:17:51 PM

C:\Documents and Settings\hhoang\My Documents\EAST\Workspaces\hieu\_93\_10720375.wsp